

SAFETY DATA SHEET SPRAY TAK

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND COMPANY/UNDERTAKING.

PRODUCT NAME: Spray Tak

SUPPLIER: **SMH Products Ltd**
SMH House
Maxwell Street
South Shields
NE33 4PU

TELEPHONE: 0191 456 6000
FAX: 0191 456 7777
WEBSITE: www.smhproducts.com

2. COMPOSITION/INFORMATION ON INGREDIENTS

NAME	CAS NO.	EINECS	HEALTH (Class)	RISK (R No.)	CONTENTS %
Acetone	67-64-1	200-662-2	F Xi	R11	10-30
Heptanes & Isomers			F Xn Xi	R11	5-10
Hexane, Mixture of Isomers			F Xn Xi	R11	1-5
Methylcyclohexane	108-87-2	203-624-3	F Xn Xi	R11	<1
Pentane	109-66-0	203-692-4	F Xn	R12	<1
Solvent Naphtha, Light Aromatic, <0.1% Benzene	64742-95-6		Xn Xi	R11	1-5
Butane	106-97-8	203-448-7	FX	R12	
Propane	74-98-6	200-827-9	FX	R12	

The full texts for all R – Phrases are displayed in section 15.

3. HAZARDS IDENTIFICATION

Extremely flammable. Toxic to aquatic organisms may cause long-term adverse effects in the aquatic environment. Vapours may cause drowsiness and dizziness.

Pressurised container. Protect from sunlight and do not expose to temperatures exceeding 50°C. Do not pierce or burn even after use. Do not spray on a naked flame of any other incandescent material – **NO SMOKING**

4. FIRST AID MEASURES

INHALATION:	Remove the exposed person immediately to fresh air, keep the patient warm and at rest. If breathing is irregular or has stopped, administer artificial respiration. Give nothing by mouth. If unconscious, place in the recovery position. Get prompt medical attention.
INGESTION:	Rinse mouth thoroughly. Do not induce vomiting. Get medical attention immediately.
SKIN:	Promptly wash contaminated skin with soap or mild detergent and water. Promptly remove clothing if soaked through and wash as above. Get medical attention if irritation persists after washing.
EYES:	Contact lenses should be removed. Promptly wash eyes with water for at least 15 minutes holding eyelids apart and get medical attention.

5. FIRE FIGHTING MEASURES

EXTINGUISHING MEDIA:	Fire can be extinguished using: Powder, foam or carbon dioxide (CO ₂).
UNUSUAL FIRE & EXPLOSION HAZARDS:	Unstable. May explode spontaneously. Possible container rupture.
SPECIAL FIRE FIGHTING PROCEDURES:	Use water SPRAY only to cool containers! Do not put water on leaked material. If possible, fight fire from protected position.
SPECIFIC HAZARDS	Toxic gases/vapours/fumes of carbon dioxide (CO ₂). Carbon monoxide (CO).

6. ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTION IN SPILL:

Avoid breathing vapour, ensure adequate ventilation. Avoid skin and eye contact. Wear personal protective equipment.

PRECAUTIONS TO PROTECT THE ENVIRONMENT:

Prevent entry into drains and watercourses.

SPILL CLEANUP METHODS:

Extinguish all sources of ignition. Avoid sparks, flames, heat and smoking. Ventilate. Absorb onto sand, earth or absorbent granules. Pick up with non-sparking tools & place into metal containers with sealable lids. Mark the containers with details of hazards and store in designated areas ready for disposal.

7. HANDLING AND STORAGE

USAGE PRECAUTIONS:

Keep away from heat, sparks and open flame. Avoid spillage, skin and eye contact. Ventilate well, avoid breathing vapours. Use approved respirator if air contamination is above acceptable level.

STORAGE PRECAUTIONS:

Flammable/combustible – keep away from oxidisers, heat, sparks and open flames. Store at moderate temperatures in dry, well-ventilated area. Aerosol cans: Must not be exposed to direct sunlight or temperatures above 50°C.

8. EXPOSURE CONTROLS AND PERSONAL PROTECTION

INGREDIENT NAME	CAS. No:	EINECS	STD	LT EXP 8hrs	ST EXP 15Mi
Acetone					



VENTILATION:	Provide adequate ventilation to ensure the airborne concentration does not exceed the above levels. Ensure there are no sources of ignition.
RESPIRATOR PROTECTION:	Adequate respiratory protection must be used if air concentration exceeds acceptable level.
HAND PROTECTION:	Protective gloves must be used if there is risk of direct contact or splash. Use protective gloves made of Nitrile.
EYE PROTECTION:	Wear splash proof goggles to prevent any possibility of eye contact.
SKIN PROTECTION:	Wear appropriate clothing to prevent repeated or prolonged skin contact.
HYGIENIC WORK PRACTICES:	Wash promptly if skin becomes contaminated. Wash at the end of each work shift and before eating, smoking and using the toilet.

9. PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE:	Aerosol
COLOUR:	Clear
ODOUR/TASTE:	hydrocarbons/Solvent
PHYSICAL DATA COMMENTS:	Can pressure 70psi
BOILING POINT (°C, INTERVAL):	40
DENSITY/SPECIFIC GRAVITY (v/ml)	0.8
SOLUBILITY DESCRIPTION:	Slightly soluble in water. Soluble in: solvents.
FLASH POINT (°C):	- 40 (propellant)

10. STABILITY AND REACTIVITY

STABILITY:	Stable under normal conditions. Stable at room temperature.
CONDITIONS TO AVOID:	Heat. Hot surfaces. Sources of ignition. Flames.
MATERIAL TO AVOID:	Strong oxidising agents. Strong acids and strong alkalis.
HAZ. DECOMP. PRODUCTS:	In combustion emits toxic fumes of carbon dioxide/ carbon monoxide. In combustion emits toxic fumes of hydrogen cyanide.

11. TOXICOLOGICAL INFORMATION

INHALATION:	Drowsiness, dizziness, disorientation, vertigo.
INGESTION:	May cause discomfort if swallowed.
SKIN:	Liquid may irritate skin.
EYES:	Irritation, burning, lachrymation, blurred vision after liquid splash.

12. ECOLOGICAL INFORMATION

ECOLOGICAL INFORMATION:	Dangerous for the environment: May cause long-term adverse effects in the aquatic environment.
--------------------------------	--

13. DISPOSAL CONSIDERATIONS

DISPOSAL METHODS:	Dispose of in accordance with Local Authority requirements. Empty containers must not be burned because of explosion hazard.
--------------------------	--

14. TRANSPORT INFORMATION

LABEL FOR CONVEYANCE:



UN No. ROAD:	1950
UK ROAD TRANSPORT CLASS:	2.1
UK ROAD PACK GR.:	Not Applicable
ADR CLASS No.:	2
ADR CLASS:	2
ADR PACK GR.:	Not Applicable
ADR LABEL No.:	2.1
PROPER SHIPPING NAME:	AEROSOLS
RID CLASS No.:	2
RID CLASS GR.:	Not Applicable
UN No. SEA:	1950
IMDG CLASS:	2.1
IMDG PACK GR.:	Not Applicable
EmS No.:	F-D,S-U
MARINE POLLUTANT:	No.
UN No. AIR:	1950

ICAO CLASS: 2.1
AIR SUB CLASS: 2.1
AIR PACK GR.: Not Applicable

15. REGULATORY INFORMATION

LABEL FOR SUPPLY:



Dangerous for the Environment



Extremely Flammable

RISK PHRASES:

R12 R67
R51/53
Extremely Flammable
Toxic to aquatic organisms, may cause long term adverse effects in the aquatic environment
Vapours may cause drowsiness and dizziness

SAFETY PHRASES:

S2 S9 S16 S23 S29/56 S36/37/39 S38 S51 S61
Keep out of reach of children.
Keep container in well ventilated place.
Keep away from sources of ignition – No Smoking.
Do not breathe vapour/spray.
Do not empty into drains, dispose of material and its container at hazardous or special waste collection points.
Wear suitable protective clothing, gloves and eye/face protection.
In case of insufficient ventilation, wear suitable respiratory equipment.
Use only in well-ventilated areas.
Avoid release to the environment. Refer to special instructions/safety data sheets

16. OTHER INFORMATION

USER NOTES:

This product should be used as directed by SMH Products Ltd. For further information consult the product data sheet or contact Technical Services.

APPLICATION EVALUATION:

An evaluation of the adhesive should be carried out in application conditions before commercial use is

undertaken. This should also include a reference to ageing.

LIMITATIONS:	This product is not suitable for highly plasticised PVC.
CAUTION:	Pressurised container. Do not expose to temperatures exceeding 50°C. Protect from sunlight. Do not puncture or incinerate even when empty. Do not spray onto naked flame or any incandescent material.
INFORMATION SOURCES:	This safety data sheet was compiled using current safety information supplied by distributor of raw materials.
REVISION COMMENTS:	This safety data sheet supersedes all previous issues and users are cautioned to ensure that it is current. Destroy all previous data sheets and if in doubt contact SMH Products Ltd.
ISSUE:	E/1
REVISION DATE:	September 2005
Further details	www.smhproducts.com

This advice is given by SMH Products Ltd who accepts no legal liability for it. The information herein is based on the present state of our knowledge and is intended to describe our products from the point of view of safety requirements. It should not therefore, be construed as guaranteeing specific properties.

